

SCHEDULE OF QUANTITY

Estimate Cost :-2,61,235/-

Earnest Money: Rs. 6,531/- (P.O in favour of IGNOU)

Time allow:- One Month

Name of Work:- Raising of Boundary wall in Park & cleaning of storm water drain near C-type Quarters.

ISSUE TO:-

DATE OF OPENING:-

S.No.	Description	Qty.	Unit	Rate	Amount
01	Brick work with common burnt clay FPS (non modular) bricks of class designation 75 in foundation and plinth in C:M 1:6 (1cement :6 coarse sand).	14.132	Cum		
02	12mm cement plaster of Mix 1:4 (1cement :4coarse sand)	158.21	Sqm		
03	Removing and Refixing of Red sand stone in C:M 1:5 (1cement :5 coarse sand) after cleaning and desilting of Malba/silt etc i/c cleaning of manhole/GT etc comp and disposal of the same from AGVC immediately as per direction of Engineer In-charge.	180	Mtr.		
04	Supplying of Red sand stone 40mm thick of size 60x 60cm or as required in site as per direction of Engineer-in-charge.	54	Sqm		
05	Denolishing cement concrete manually/by mechanical means including disposal of material within 50metres lead as per direction of Engineer-in-charge. Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix).	24	Cum		
06	Taking out existing CC interlocking pavee blocks from footpath/central verge including removal of rubbish etc. disposal of unserviceable material to the dumping ground for which payment shall be made separately and stacking of serviceable material within 50 meter lead as per direction of Engineer-In-charge.	164	Sqm		
07	Refixing old cement concrete interlocking pavee blocks of any design/shape laid in required line, level, curvatine, colour and pattern over and including 50mm thick compacted bed of coarse sand filling the joints with fine sand etc all complete as per the direction of Engineer In-charge (old cc pavee blocks shall be supplied by the department free of cost).	164	Sqm		
08	Providing factory made coloured chamfered edge cement concrete pavee blocks of required strength, thickness & size/shape made by table-vibratory method using PU mould complete as per manufacturers specification & direction of Engineer In charge 60mm thick C.C power block of M.30 grade with approved colour design and pattern.	82	Sqm		
09	Disposal of building rubbish/malba/similar unserviceable, dismantled or waste materials by mechanical means i/c loading transporting unloading to approved municipal dumping ground or as approved by Engineer In-charge beyond 50m initial lead for all lead including all lifts involved.	100	Cum		

(SANJAY BANSAL)
Executive Engineer (C)

Name of Work:- Raising of Boundary wall in Park & cleaning of storm water drain near C-type Quarters.

SPECIFICATION & SPECIAL CONDITIONS OF CONTRACT:

1. Unless otherwise specified the work shall be carried out in accordance with the printed CPWD specification 1977 for the works at Delhi correction slips issued till the date of opening of tenders/quotation. In the event of any dispute the followings shall be the order of priority to decide the issue:-
 - a. Nomenclature of item read with special conditions of the contract and general specifications
 - b. CPWD specifications
 - c. ISI specifications
 - d. Instructions of Engineer In charge.
2. Before quoting the contract shall inspect the site of work and shall fully acquaint him self about the conditions with regard to accessibility of site required for the satisfactory execution of work. No claim whatsoever shall be entertained by the department on this account.
3. The quantities shown in the schedule are tentative and may change as per site conditions. The Contractor shall not claim anything extra on this account. The payment shall be made as per actual quantities of work done and as per the conditions of the contract.
4. The work executed under the contract shall be subject to inspection carried out by the departmental officers. Any defects regarding workmanship or quality of material to be used as pointed out during or after completion of work by the departmental officers shall have to be rectified by the contractor at his own cost and risk, and in case the contractor fails to do so, it will be got rectified by the department at the risk and cost of the Contractor.
5. All precautionary measures should be adopted for the safety purposes for any accident during the execution of work occurring at site, the contractor shall be overall responsible for the same.
6. Water if available shall be supplied to the contractor and 1% on account of water charges shall be recovered from him on the gross amount of work done. However, if the electricity is required for work, the same shall be provided to the contractor and .0.25% on account of electricity charges shall be recovered from him on the gross amount of work done.
7. Test if required shall be conducted by the agency from any approved Govt. laboratory and nothing extra on this account will be paid by the department.
8. After the award of work, if the agency fails to start the work the earnest money and performance guarantee submitted by them will be 100% forfeited and the agency will be debarred for a period of three years to quote tender/quotation for IGNOU works.

Executive Engineer (C)

SCHEDULE OF QUANTITY

Estimate Cost:-81,445/-

Earnest Money: Rs. 2,036/- (P.O in favour of IGNOU)

Time allow:- Two Month

Name of Work:- P/F of MS steel doors & chowkhatt in flat No. 192, 198, 173 & C-24 at AGVC.

ISSUE TO:-

DATE OF OPENING:-

S.No.	Description	Qty.	Unit	Rate	Amount
01	P/F T-iron frames for doors, windows and ventilators of mild Tee-sections, joints mitred & welded i/c fixing of necessary butt hinges & screws and applying a priming coat of approved steel primer. Fixing with 15x3mm lugs 10cm long embedded in C:C block 15x10x10cm of C:C 1:3:6 (1cement 3coarse sand :6 graded stone aggregate 20mm nominal size)	194.40	Kg.		
02	P/F MS Grills of required pattern in frames of windows etc with MS flat square or round bars etc i/c priming coat with approved steel primer all complete Fixed to steel windows by welding.	81.53	Kg.		
03	P/F glass panes with putty and glazed clips in steel doors windows clerestory windows all complete with 5.5mm thick glass panes.	3.18	Sqm		
04	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade. Two or more coats on new work.	60	Sqm		
05	P/F 1mm thick MS sheet door with frame of 40x40x6mm angle iron & 3mm gusset plates at the junctions & corners all necessary fittings complete i/c applying a priming coat of approved steel primer. Using MS angles 40x40x6mm for diagonal broses.	17	Sqm		
06	Dismantling doors windows & clerestory windows (steel or wood) shutter i/c chowkhatts architrave holdfasts etc. complete and stacking with in 50m lead of area beyond 3.0sqm	4.0	Each		
07	Disposal of dismantled MS door chowkhatt etc. (credit to work)	20	Kg.		

(SANJAY BANSAL)

Executive Engineer (C)

Name of Work:- P/F of MS steel doors & chookhat in flat No. 192, 198, 173 & C-24 at AGVC.

SPECIFICATION & SPECIAL CONDITIONS OF CONTRACT:

1. Unless otherwise specified the work shall be carried out in accordance with the printed CPWD specification 1977 for the works at Delhi correction slips issued till the date of opening of tenders/quotation. In the event of any dispute the followings shall be the order of priority to decide the issue:-
 - a. Nomenclature of item read with special conditions of the contract and general specifications
 - b. CPWD specifications
 - c. ISI specifications
 - d. Instructions of Engineer In charge.
2. Before quoting the contract shall inspect the site of work and shall fully acquaint him self about the conditions with regard to accessibility of site required for the satisfactory execution of work. No claim whatsoever shall be entertained by the department on this account.
3. The quantities shown in the schedule are tentative and may change as per site conditions. The Contractor shall not claim anything extra on this account. The payment shall be made as per actual quantities of work done and as per the conditions of the contract.
4. The work executed under the contract shall be subject to inspection carried out by the departmental officers. Any defects regarding workmanship or quality of material to be used as pointed out during or after completion of work by the departmental officers shall have to be rectified by the contractor at his own cost and risk, and in case the contractor fails to do so, it will be got rectified by the department at the risk and cost of the Contractor.
5. All precautionary measures should be adopted for the safety purposes for any accident during the execution of work occurring at site, the contractor shall be overall responsible for the same.
6. Water if available shall be supplied to the contractor and 1% on account of water charges shall be recovered from him on the gross amount of work done. However, if the electricity is required for work, the same shall be provided to the contractor and .0.25% on account of electricity charges shall be recovered from him on the gross amount of work done.
7. Test if required shall be conducted by the agency from any approved Govt. laboratory and nothing extra on this account will be paid by the department.
8. After the award of work, if the agency fails to start the work the earnest money and performance guarantee submitted by them will be 100% forfeited and the agency will be debarred for a period of three years to quote tender/quotation for IGNOU works.

Executive Engineer (C)